

cont'd.
a 1

*R*¹ represents hydrogen or straight-chain or branched alkyl having up to 4 carbon atoms,

*R*² represents straight-chain or branched alkyl having up to 4 carbon atoms,

*Sub
B1*

*R*³ and *R*⁴ are identical or different and represent a straight chain or branched alkyl chain having up to 5 carbon atoms, which is optionally substituted up to two times in an identical or different manner by hydroxyl or methoxy,

or

*R*³ and *R*⁴, together with the nitrogen atom, form a piperidinyl, morpholinyl or thiomorpholinyl ring or a radical of the formula



in which

*R*⁷ denotes hydrogen, formyl, straight-chain or branched acyl or alkoxy carbonyl each having up to 6 carbon atoms, or straight-chain or branched alkyl having up to 6 carbon atoms, which is optionally mono- to disubstituted, in an identical or different manner, by hydroxyl, carboxyl, straight-chain or branched alkoxy or alkoxy carbonyl each having up to 6 carbon atoms, or denotes C₃₋₈-cycloalkyl,

and the heterocycles mentioned under *R*³ and *R*⁴, formed together with the nitrogen atom, are optionally mono- to disubstituted, in an identical or different manner, *if appropriate* also geminally, by hydroxyl, formyl, carboxyl, straight-chain or branched acyl or alkoxy carbonyl each having up to 6 carbon atoms,

10021574-1521204

contd.
cl 1


and/or the heterocycles mentioned under R^3 and R^4 , formed together with the nitrogen atom, are optionally substituted by straight-chain or branched alkyl having up to 6 carbon atoms, which is optionally mono- to disubstituted, in an identical or different manner, by hydroxyl or carboxyl,

*Sub
B1*

and/or the heterocycles mentioned under R^3 and R^4 , formed together with the nitrogen atom, are optionally substituted by piperidinyl or pyrrolidinyl linked via N,

R^5 and R^6 are identical or different and represent hydrogen, straight-chain or branched alkyl having up to 6 carbon atoms, hydroxyl or straight-chain or branched alkoxy having up to 6 carbon atoms,

characterized in that compounds of the formula (II)



in which

R^1 , R^2 , R^5 and R^6 have the meanings indicated above,

are reacted with sulphuric acid to give compounds of the formula (III)

